



2NJ9

NPT MALE/JIC FEMALE 74° SEAT 90° ELBOW

PART NO.	THREAD		DIMENSIONS						
	E	F	A	B	S1	S2			
2NJ9-02-04Z	Z1/4"X18	7/16"X20	21	9	11	14			
2NJ9-02-05Z	Z1/4"X18	1/2"X20	21	9	11	17			
2NJ9-04Z	Z1/4"X18	7/16"X20	25.5	9	14	14			
2NJ9-04-06Z	Z1/4"X18	9/16"X18	25.5	10	14	19			
2NJ9-06Z	Z3/8"X18	9/16"X18	31	10	19	19			
2NJ9-06-08Z	Z3/8"X18	3/4"X16	31	11	19	22			
2NJ9-08Z	Z1/2"X14	3/4"X16	35.6	11	22	22			
2NJ9-08-10Z	Z1/2"X14	7/8"X14	35.6	12	22	27			
2NJ9-08-12Z	Z1/2"X14	1.1/16"X12	37.5	14.5	24	32			
2NJ9-12Z	Z3/4"X14	1.1/16"X12	44	14.5	27	32			
2NJ9-12-08Z	Z3/4"X14	3/4"X16	43.5	11	27	22			
2NJ9-12-10Z	Z3/4"X14	7/8"X14	43.5	12	27	27			
2NJ9-16Z	Z1"X11.5	1.5/16"X12	46.2	15.18	33	41			
2NJ9-16-14Z	Z1"X11.5	1.3/16"X12	49	15	33	36			
2NJ9-20Z	Z1.1/4"X11.5	1.5/8"X12	53	16.18	41	50			
2NJ9-24Z	Z1.1/2"X11.5	1.7/8"X12	59	18.6	48	60			

1. Material options for connector

Connector material	Part. No. suffix	Part No. example
Carbon steel (Default)	Z	2NJ9-08Z
304 stainless steel	SR	2NJ9-08SR
316L stainless steel	SV	2NJ9-08SV
316Ti stainless steel	SY	2NJ9-08SY

2. Plating options and performance for carbon steel connectors.

Plating method	Part. No. suffix	Part No. example	White rust (Hours)	Red rust (Hours)
Cr3+ plating (Default)	Z	2NJ9-08Z	96	360
Durakote plating	ZD	2NJ9-08ZD	360	720
Zinc-nickel plating	ZN	2NJ9-08ZN	1000	-