



**2JF**

JIC MALE 74° CONE/ORFS FEMALE

| PART NO. | THREAD     |             | DIMENSIONS |      |      |    |    |  |  |
|----------|------------|-------------|------------|------|------|----|----|--|--|
|          | E          | F           | A          | B    | L    | S1 | S2 |  |  |
| 2JF-04Z  | 7/16"X20   | 9/16X18     | 14         | 8.2  | 35.5 | 14 | 17 |  |  |
| 2JF-06Z  | 9/16"X18   | 11/16"X16   | 14.1       | 9    | 38.5 | 17 | 22 |  |  |
| 2JF-08Z  | 3/4"X16    | 13/16"X16   | 16.7       | 11   | 45   | 22 | 27 |  |  |
| 2JF-10Z  | 7/8"X14    | 1"X14       | 19.3       | 13   | 51.5 | 24 | 30 |  |  |
| 2JF-12Z  | 1.1/16"X12 | 1.3/16"X12  | 21.9       | 14.5 | 58   | 30 | 36 |  |  |
| 2JF-16Z  | 1.5/16"X12 | 1.7/16"X12  | 23.1       | 15   | 62   | 36 | 41 |  |  |
| 2JF-20Z  | 1.5/8"X12  | 1.11/16"X12 | 24.3       | 15   | 68.5 | 46 | 50 |  |  |

1. Material options for connector

| Connector material     | Part. No. suffix | Part No. example |
|------------------------|------------------|------------------|
| Carbon steel (Default) | Z                | 2JF-08Z          |
| 304 stainless steel    | SR               | 2JF-08SR         |
| 316L stainless steel   | SV               | 2JF-08SV         |
| 316Ti stainless steel  | SY               | 2JF-08SY         |

2. Plating options and performance for carbon steel connectors.

| Plating method         | Part. No. suffix | Part No. example | White rust (Hours) | Red rust (Hours) |
|------------------------|------------------|------------------|--------------------|------------------|
| Cr3+ plating (Default) | Z                | 2JF-08Z          | 96                 | 360              |
| Durakote plating       | ZD               | 2JF-08ZD         | 360                | 720              |
| Zinc-nickel plating    | ZN               | 2JF-08ZN         | 1000               | -                |