



5JN9

JIC MALE 74° CONE / NPT FEMALE 90° ELBOW

PART NO.	THREAD		DIMENSIONS						
	E	F			A	B	S1		
5JN9-04-02Z	7/16"X20	Z1/8"X27			27.5	16.8	16		
5JN9-04Z	7/16"X20	Z1/4"X18			30.9	22.4	19		
5JN9-06-04Z	9/16"X18	Z1/4"X18			30.3	22.4	19		
5JN9-06Z	9/16"X18	Z3/8"X18			33.5	25.9	24		
5JN9-08-04Z	3/4"X16	Z1/4"X18			31.6	22.4	19		
5JN9-08Z	3/4"X16	Z1/2"X14			39.5	31.2	30		
5JN9-12-08Z	1.1/16"X12	Z1/2"X14			46	31.2	30		
5JN9-12Z	1.1/16"X12	Z3/4"X14			48	34.5	33		
5JN9-12-16Z	1.1/16"X12	Z1"X11.5			52.5	41.1	41		
5JN9-16-12Z	1.5/16"X12	Z3/4"X14			49	34.5	33		
5JN9-16Z	1.5/16"X12	Z1"X11.5			55.1	41.1	41		
5JN9-20Z	1.5/8"X12	Z1.1/4"X11.5			59.2	43.2	48		
5JN9-24Z	1.7/8"X12	Z1.1/2"X11.5			73.4	52.8	63		

1. Material options for connector

Connector material	Part. No. suffix	Part No. example
Carbon steel (Default)	Z	5JN9-08Z
304 stainless steel	SR	5JN9-08SR
316L stainless steel	SV	5JN9-08SV
316Ti stainless steel	SY	5JN9-08SY

2. Plating options and performance for carbon steel connectors.

Plating method	Part. No. suffix	Part No. example	White rust (Hours)	Red rust (Hours)
Cr3+ plating (Default)	Z	5JN9-08Z	96	360
Durakote plating	ZD	5JN9-08ZD	360	720
Zinc-nickel plating	ZN	5JN9-08ZN	1000	-