



2J9

JIC MALE 74° CONE / JIC FEMALE 74° SEAT 90° ELBOW

REF. ISO 8434-2

PART NO.	THREAD		DIMENSIONS							
	E	F			A	B	S1	S2		
2J9-02Z	5/16"X24	5/16"X24			21	5.6	11	12		
2J9-03Z	3/8"X24	3/8"X24			22	5	11	14		
2J9-04Z	7/16"X20	7/16"X20			24.5	9	11	14		
2J9-05Z	1/2"X20	1/2"X20			26.5	9.5	14	17		
2J9-06Z	9/16"X18	9/16"X18			26.9	10.5	14	19		
2J9-06-08Z	9/16"X18	3/4"X16			28.5	11	16	22		
2J9-08-06Z	3/4"X16	9/16"X18			32	10	19	19		
2J9-08Z	3/4"X16	3/4"X16			33	11	19	22		
2J9-08-10Z	3/4"X16	7/8"X14			32	13	19	27		
2J9-10Z	7/8"X14	7/8"X14			37.8	13	22	27		
2J9-10-08Z	7/8"X14	3/4"X16			37.8	11	22	22		
2J9-10-12Z	7/8"X14	1.1/16"X12			39.5	14.5	24	32		
2J9-12Z	1.1/16"X12	1.1/16"X12			44.2	14.5	27	32		
2J9-12-10Z	1.1/16"X12	7/8"X14			44.2	13	27	27		
2J9-12-16Z	1.1/16"X12	1.5/16"X12			46	15.18	30	41		
2J9-14Z	1.3/16"X12	1.3/16"X12			47.5	15	30	36		
2J9-16Z	1.5/16"X12	1.5/16"X12			48.8	15.18	33	41		
2J9-16-20Z	1.5/16"X12	1.5/8"X12			54	16.18	41	50		
2J9-20-16Z	1.5/8"X12	1.5/16"X12			55.5	15.18	41	41		
2J9-20Z	1.5/8"X12	1.5/8"X12			55.5	16.18	41	50		
2J9-20-24Z	1.5/8"X12	1.7/8"X12			59.5	18.67	48	60		
2J9-24-20Z	1.7/8"X12	1.5/8"X12			62.5	16.68	48	50		
2J9-24Z	1.7/8"X12	1.7/8"X12			62.5	18.67	48	60		
2J9-32Z	2.1/2"X12	2.1/2"X12			75.5	23.9	63	75		

1. Material options for connector

Connector material	Part. No. suffix	Part No. example
Carbon steel (Default)	Z	2J9-08Z
304 stainless steel	SR	2J9-08SR
316L stainless steel	SV	2J9-08SV
316Ti stainless steel	SY	2J9-08SY

2. Plating options and performance for carbon steel connectors.

Plating method	Part. No. suffix	Part No. example	White rust (Hours)	Red rust (Hours)
Cr3+ plating (Default)	Z	2J9-08Z	96	360
Durakote plating	ZD	2J9-08ZD	360	720
Zinc-nickel plating	ZN	2J9-08ZN	1000	-